

PRODUCT

CATALOG

#1

Global Range
Solutions

RANGE SERVANT®

TABLE OF CONTENTS



ABOUT RANGE SERVANT	3
BALL MANAGEMENT SYSTEM	4
BALL DISPENSERS	8
BALL WASHERS & ELEVATORS	10
BALL PICKERS	12
RELOX ROBOTICS™ ROBOT PICKER	14
BALL MANAGEMENT SYSTEM	16
TEE BOX INBAY DISPENSER	17
GOLFMORE PAYMENT SYSTEM	18
RANGE SERVANT PAYMENT SYSTEMS	20
PREMIUM LIGHTING DESIGNLIGHT	22
RANGE SERVANT INSTALLATION	23
RANGE SERVANT ACCESSORIES	24
COMMON SPARE PARTS	28
GENERAL TERMS AND WARRANTY	30
RANGE SERVANT NETWORK	31





**Made in
Sweden**
since 1983

The Company

Founded in Halmstad, Sweden in 1983, Range Servant's founder, Jordan Knez, saw a need to improve equipment for the golf industry. Using sustainability and durability as guiding principles, he took his enthusiasm for golf and technical expertise to develop Sweden's first ball dispensers, washers, and ball pickers. In the early 90's, Range Servant expanded to the United States and developed a distributor network around the world. After more than 39 years in the business, and handling nearly 30 billion balls annually, Range Servant is the market leader.

The Business

Range Servant's vision is **#1 Global Range Solution Provider.**

Range Servant exists to sell equipment and solutions that manage the picking, washing, dispensing, and tracking of golf balls. Our Customer Service, called RSS, serve the market with technical support, spare parts, installation, and project management. Each customer contact is unique, and we are always happy to assist. Range Servant offers a wide variety of accessories to round out a complete catalogue of high-quality range equipment.

Our goal is to inspire the golfer to hit more balls and to help the range owner operate a carefree and more profitable business.

BALL MANAGEMENT SYSTEM

BMS

Develop a cost-efficient and easy-to-operate range with our BMS, Ball Management System. Combining the picking, washing, and dispensing into one system, our BMS will suit any facility, from the smallest country club to the largest commercial range. Improve core business and customer relations by automating your range through our BMS IT-solutions. We have already helped golf clubs and ranges around the world operate a more carefree range through our BMS.



FULLY AUTOMATIC

Our BMS system can be purchased with a fully or semiautomatic setup, depending on your need. Using advanced PLC-coding we program our control-box to deliver balls from the storage area to all receiving units, which can be both ball dispensers and/or hoppers.



BLOWER-SYSTEM

Our blower-system, using compressed air and flexible hoses, feeds balls from the remote washing/storage area to single or multiple dispensers. Having a washer/storage area in a remote location is strategic for design and improves safety for the staff.



MULTI-STOREY SOLUTIONS

Our BMS can accommodate several storeys with ease. Since every BMS is custom made our priority is feeding balls through the system in a safe and secure manner.

Project Management

Range Servant is experienced in creating and following projects. From sales to installation, you can trust Range Servant to see your project through to completion.

1

PRE-STUDY

Set expectations for project.

2

PLACE ORDER

3

MANUFACTURE PRODUCTS

4

SHIPPING OF PRODUCTS

5

DELIVERY AND INSTALLATION

PRE-STUDY

Our pre-studies are designed so that all expectations and goals are met. In the pre-study, we will look closely at your site, identify its capacity, function, and include a conceptual design to easily visualize what the result will look like. Not only do we want to deliver products to the project, but we also want to identify opportunities and reduce risks. Our experts will then create a checklist for you, with all the correct logistical and technical specifications so that nothing is left to chance once we are ready to install our products. If you decide to use us as your supplier, we will subtract the cost of the pre-study from the placed order resulting in no extra cost to you.

If you decide to use another supplier, the pre-study that you have purchased will be a valuable tool for your future decisions.

For more information about the cost of a pre-study, call us at +46 (0)35 10 92 40 or send an email to: sales@rangeservant.com




TOPGOLF

Range
Servant is
**preferred BMS
supplier for Topgolf**
Entertainment
Group.



BALL MANAGEMENT SYSTEM



How our BMS works

1 CONTROL CABINET

Automated or manual with sophisticated programming to fit the facility.

2 DITCH

2m-6m in length, both wet/dry, Ditch sensors start the BMS.

3 DITCH ELEVATOR

Feeds balls into the washer.

4 WASHER

Starts automatically when ditch elevator activated.

5 HOPPER ELEVATOR

2.3m high and transports washed balls into the Hopper.

6 HOPPER

Stores balls and available in several sizes from 15,000-50,000 balls.

7 BLOWER-SYSTEM

Receives balls from Hopper and blows them to the receiving units.

8 RECEIVING UNITS

Hoppers/Dispensers receives blown balls - can be set to automatically call for balls when the ball-level is low.


Because no two ranges are the same, we take pride in creating a **customized solution just for you.**



8 RECEIVING UNIT

8

RECEIVING UNIT



Central
receiving units
provides
**increased
revenue.**

**"Our system from Range
Servant is a prerequisite
for a cost-effective range
operation. The fact that it is
incredibly reliable makes it
even better. World class!"**

-Martin Siljegård,
Halmstad Golfarena,
Sweden

**Halmstad
Golfarena**
Golf & Sports Club

- 1 CONTROL CABINET
- 2 DITCH
- 3 DITCH ELEVATOR
- 4 WASHER
- 5 HOPPER ELEVATOR
- 6 HOPPER
- 7 BLOWER-SYSTEM



8 RECEIVING UNIT

BALL DISPENSERS

RS LINE



SPRINKLING

This unit has a built-in sprinkler for a light washing.



MODULAR

This unit can be upgraded with an external washing and elevating system.



BALL SENSOR

This unit has a sensor determining the exact amount of balls dispensed.



ALUMINUM

This unit is built with aluminum and Stainless galvanized steel.

GREEN LINE



ULTIMA



#	ART. NR.	PRODUCT INFO	SIZE [D/W/H] (MM)	NO. OF BALLS
1	150010	RS-4 with internal sprinkler	550/1012/1490	approx 5,700 balls
2	180000	RS-8 with internal sprinkler	760/1012/1490	approx 8,000 balls
3	110007	RS-11 with internal sprinkler	1010/1250/1490	approx 11,000 balls
4	GLD0000	GL-6 without internal sprinkler	550/1012/1490	approx 5,700 balls
5	GLD0001	GL-8 without internal sprinkler	760/1012/1490	approx 8,000 balls
6	GLD0002	GL-10 without internal sprinkler	1010/1250/1490	approx 11,000 balls
7	DKM0000	Ultima 8, Flat top	760/1012/1330	approx 8,000 balls
8	DLM0000	Ultima 12	760/1012/2056	approx 12,000 balls
9	DVA0000	Ultima 19	1520/1012/2056	approx 20,000 balls
10	DMM0000	Ultima 20 dual dispensers	760/2022/2056	approx 20,000 balls
11	DNM0000	Ultima 45 dual dispensers	1520/2022/2056	approx 43,000 balls

WHY RANGE SERVANT?

We have been building ball dispensers since 1983 and are, today, the most sold in the world. We take pride in our craftsmanship and are always looking to improve our products. Range Servant machines are long lasting when maintained properly.

If you already have a Range Servant flat top Ball Dispenser and are looking to upgrade, we suggest that you purchase a cone top for additional capacity.



#	ART. NR.	PRODUCT INFO	COMPATIBLE WITH	PRE-ASSEMBLED	NO. OF BALLS
1	DBM0000	Cone top	RS-4	NO	+ 2,000 balls
1	117000	Cone top	Ultima 8, RS-8	NO	+ 4,000 balls
1	147000	Cone top	RS-11	NO	+ 7,000 balls

BALL WASHERS & ELEVATORS

Our washer-elevator system is robust, easy-to-use, and allows the operator to automate the process of washing balls and filling the dispenser.

Range Servant has trusted our partner, AB Halmstad Varmförzinkning, for galvanizing our washers over the last 30 years. Our washers are dipped in Molten Zinc, which produces a multi-layered coating of zinc-iron alloy, resulting in a long-life, rust-free and corrosion resistant product.



Washers


The Range Servant washer is a testimony of true craftsmanship. Built to last and with few moving parts, this unit will add value to your driving range for years to come. Our washers come in three models: BT1950 is the perfect washer for medium to bigger ranges and BT1300 for smaller ranges. Pick the hopper of your choosing and create a complete washing solution. The BT1000 is a stand-alone unit with a built-in hopper that doesn't require constant water flow.

Requirements: water supply connection 1/2", drain 50 mm, 230V electricity



Hoppers

Our Hopper trays, which hold 800-3,000 balls, are made of the highest quality galvanized steel. No matter the number of balls that are picked daily, you can be assured that the Range Servant washer will stand up to any range.



Dimensions (mm) & weight:

BT1300 with standard hopper	H 1,000	W 600	L 1,807	75 kg
BT1300 with big hopper	H 1,180	W 690	L 2,035	81 kg
BT1950 with standard hopper	H 1,000	W 647	L 1,846	86 kg
BT1950 with big hopper	H 1,180	W 690	L 2,073	100 kg
BT1000	H 826	W 639	L 1,282	67 kg

#	ART. NR.	TYPE	CAPACITY	BALLS/HOUR
1	220000	Ball Washer BT1950	Add hopper	24,000
-*	WGM0000	Ball Washer BT1300	Add hopper	12,000
2	970047	Big hopper (XL)	3,000	
3	221201	Standard hopper	800	
4	WBT0001	Stand-alone Ball Washer BT1000	700	20,000

*Looks like 220000, but a little smaller.

Pre-Soaker


Designed with the muddy season in mind, our pre-soaker loosens deeply embedded and caked-on dirt before the balls are lifted by the elevator into the BT1950 or BT1300 ball washer.

- Rust-proof aluminum and stainless steel elevator for years of rust-free functionality
- Perforated belt design keeps water in the bin and the balls on the belt
- Speed control belt drive adjustable to feed any ball washer
- Removable interior grid system allows for easy maintenance and cleaning
- Durable Polymer, 4,000 ball capacity bin

Dimensions (mm): H 915, W 800, L 1,335

Weight (kg): 103

Requirements: water supply connection 1/2", drain 50 mm, 230V electricity



Elevators


The RS Elevator is available in four standard lengths and can also be customized. Carrying 30,000 balls every hour, the RS Elevator can be seen at the busiest ranges all over the world. It is constructed of rust-proof aluminum and stainless steel. With no failure prone bearings or couplings maintenance is negligible. All standard elevators come with an automatic overflow protection system.

- 500+ balls per minute
- Aluminum and stainless
- Custom built on request
- Automatic Overflow Protection

Dimensions (mm): H 1,522–2,345 W 455, L 645

Weight (kg): 40–50


Requirements: 230V electricity



#	ART. NR.	TYPE	BALLS/HOUR	COMPATIBLE WITH
1	EGM0001	Elevator 1,4 m	30,000	Ultima 8
1	4I0000	Elevator 1,8 m	30,000	RS-8/11 and flat hopper
1	EHM0001	Elevator 2,1 m	30,000	Ultima 12, 19, 20, 45
1	420000	Elevator 2,3 m	30,000	For all hoppers with Cone Top
2	WIM0004	Soaker 4000		All washers
-	WIM0060	Loading tray		Soaker 4000
3	WIM0073	Sprinkler		Soaker 4000

BALL PICKERS

Range Servant Ball pickers are built stronger than other pickers in the same class. We use the highest quality, thick gauge aluminum and galvanized steel to ensure long-life. With the highest capacities on the market and the ability to drive in forward and reverse, out pickers stand up to the busiest ranges with the toughest terrains.




Ball Picker Light

- Galvanized steel and aluminum construction
- In-line design allows for driving forward and in reverse
- High capacities: 1,600–4,800 balls
- Light weight flexible design, approx total weight 377 kg fully loaded (5-gang)
- Flotation tires for a smooth stable ride
- Multiple flex points for varied terrain
- Adaptable to any cart or vehicle
- Available with Multiflex or Plastic discs

2, 3, 4, 5, 6-gang

The light frame can be purchased in 2, 3, 4, 5 & 6-gang versions.

Standard is 3 & 5-gang




Ball Picker Heavy Duty

- 100% galvanized steel construction
- In-line design allows for driving forward and in reverse
- High capacities: 2,400, 4,000, 5,600 balls
- Greasable pillow block bearings and caster fittings (HD Rubber and Hydraulic and Manual emptying)
- Flotation tires for a smooth stable ride
- Multiple flex points for varied terrain
- Adaptable to any cart or vehicle
- Available with Multiflex or Rubber discs

3, 5, 7-gang

The Heavy Duty frame can be purchased in three sizes, 3-gang, 5-gang & 7-gang and can be upgraded from 3–5, and 5–7.

Standard is 3 & 5-gang



**THE PICKER
IN ACTION**



2

**Highest
capacity**
pickers in the
world

#	ART. NR.	TYPE	DISCS	INFO	BASKETES	NO. OF BALLS
1	PEM0001	Hand Picker	Plastic		1 basket	400 balls
1	310035	Hand Picker	Plastic		2 baskets	800 balls
2	PDM0052	2-gang Light	Multiflex		4 baskets	1,600 balls
2	PDM0087	2-gang Light	Plastic		4 baskets	1,600 balls
2	PDM0000	3-gang Light	Multiflex		6 baskets	2,400 balls
2	PDM0088	3-gang Light	Plastic		6 baskets	2,400 balls
2	PDM0082	4-gang Light	Multiflex		8 baskets	3,200 balls
2	PDM0089	4-gang Light	Plastic		8 baskets	3,200 balls
2	PDM0085	5-gang Light	Multiflex		10 baskets	4,000 balls
2	PDM0090	5-gang Light	Plastic		10 baskets	4,000 balls
2	PDM0086	6-gang Light	Multiflex		12 baskets	4,800 balls
2	PDM0091	6-gang Light	Plastic		12 baskets	4,800 balls
3	310005	3-gang Heavy	Multiflex	MIDI	6 baskets	2,400 balls
3	300000	3-gang Heavy	Rubber	MIDI	6 baskets	2,400 balls
3	310015	5-gang Heavy	Multiflex	MAXI	10 baskets	4,000 balls
3	300010	5-gang Heavy	Rubber	MAXI	10 baskets	4,000 balls
3	310025	7-gang Heavy	Multiflex	JUMBO	14 baskets	5,600 balls
4	PBA0001	3-gang	Multiflex	Manual emptying	3 metal baskets	1,800 balls
4	PBA0002	5-gang	Multiflex	Manual emptying	5 metal baskets	3,000 balls
4	PBA0003	3-gang	Multiflex	Hydraulic emptying	3 metal baskets	1,800 balls
4	PBA0004	5-gang	Multiflex	Hydraulic emptying	5 metal baskets	3,000 balls

RELOX ROBOTICS™


ROBOT PICKER

GOLF BALL PICKING SERVICE

Automate your range and increase customer satisfaction with our Robot Picker by Relox Robotics. Using a high precision GPS, there is no need for perimeter wire, which will result in picking more golf balls per round, compared to the competition. For a low monthly fee, our support team will always monitor the robot, which will create a carefree range.

Features and Benefits

- Picking accuracy of 2 cm
- 600 picked balls / round – 21,000 picked balls / 24 hrs
- Two picking levels, high intensity and full coverage
- Smart path planning
- No limited area
- Less labor intensive for employees
- Reduced fuel costs
- Reduced labor costs
- Can be monitored and started/stopped from mobile app



#	ART. NR.	TYPE	BALLS/DAY
1*	1000352	Robot picker rental agreement	21,000 balls
-**	1000354	Cloud control subscription for maintenance	-
	Installation fee	Installation fee will be added	

* Including robot picker, base station, charging station and spare parts (not wear parts). 36-month contract.
** Incl. updates, app control, phone support and monitoring. The monthly Cloud Control fee is only charged when the Robot is active.

**Watch the
robot in action**



**Limited
robots
available
for 2022**

High precision GPS

1

**21,000 picked
balls per day**

BALL MANAGEMENT SYSTEM

Ditch systems

Range Servant has two different ditch solutions, a 2-meter dry ditch modified for our robot picker and a 6-meter wet, concrete ditch that works with both the robot- and ordinary ball picker.

Both ditches require advance preparation of the ground before installation. The 2-meter robot ditch is plastic and ready to install when delivered. The 6-meter ditch needs to be casted-in-place before installation. Your Range Servant sales professional will talk through the preparation options when placing an order.

With regular daily maintenance, both ditches will have a long life-expectancy; the robot ditch lasting 15-20 years and the cast ditch 50 years. The ditches come with plates, a water-resistant elevator, ditch sensors and depending on the control cabinet, they can be manual or automatic. This is important, as installing ball ditches will spare your personnel from heavy lifting and remove routine work, so that they can focus on more important tasks.



#	ART. NR.	TYPE	INFO
1	1000422-TL	Part 1 – the ditch	
1	1000422	Part 2 – the elevator + plates	
1	1000450	Part 3 – electrical box for ditch	Automatic start and stop
2	OIM0011	Ball ditch parts including pump	
3	EEM0000	Ditch Elevator 2,3 m	
-	OBA0080	System Control ditch	Manual start and stop

Control cabinet

ART. NR.	PRODUCT INFO
1001166	Control Box Max VI for bigger systems, washer, blower and max four (4) unit receivers. Manual or automated. Can be used with standard or robot pickers.
	We offer other solutions. Contact us to discuss your need.

Hopper

ART. NR.	PRODUCT INFO	BALL CAPACITY
970065	Hopper 4	4,000 balls
740000	Hopper 11	11,000 balls
750000	Hopper 15	15,000 balls
770000	Hopper 22	22,000 balls
780000	Hopper 30	30,000 balls
790000	Hopper 50	50,000 balls
HAM0021	Hopper Outfeed, Hopper 15-30	
1000988	Hopper Outfeed, Hopper 50	

Blower-system

ART. NR.	PRODUCT INFO	CAPACITY
800020	Blower 2,2 kW	approx 0-125 m*
800030	Blower 3,0 kW	approx 0-180 m*

*Depending on ground conditions and hopper.

TEE BOX INBAY DISPENSER



Our Tee Box InBay Dispenser is a great way to create an upscale experience for your Range! By storing up to 2,000 balls, your customers can go directly to the bay to start their gaming or practice session. The Tee Box allows your range to sell time and will integrate with most booking, POS, and tracking software. Give your customers that VIP experience that they cannot find anywhere else.



TEE BOX GEN 3

Dimensions (mm): H 755, W 1,087, L 313



TEE BOX GEN 2

- Ball capacity: 2,000 balls
- Dimensions (mm): H 857, W 1,259, L 701
- Color: Black and Silver
- Aluminum, steel frame
- Rconnect integration (API)
- Customizable print on front
- Hard plastic foam protective front panel
- Sensor dispensing technology

#	ART. NR.	VERSION	CAPACITY
1	1000966	Tee Box gen 3	1,900 balls
2	1000883	Tee Box gen 2	2,000 balls
3	1000614	Ball Transportation Cart	4,000 balls

For all customization of the Tee Box we will offer separately.

GOLFMORE PAYMENT SYSTEM



Increase availability and sales on your driving range with our payment system. Give your customers the opportunity to choose how they want to pay.



FEATURES & BENEFITS

- Up to 4 different basket sizes
- Multiple payment options
- Integrated with GIT/GolfBox (National golf federation member base)
- Low Transaction fee on Debit/Credit card payments
- Schedule free balls & manage closing of the range
- 24/7 Support (7.00 – 22.00 GMT+1)
- Dynamic prices (Happy hour)
- Opportunity to import customers
- Warning SMS "if" the system goes down
- Detailed statistics
- Cloud based
- Multilingual

Included in subscription

- New door for the ball dispenser
- Worldline Valina Terminal
- NFC Scanner for ball card
- Modem 3G/4G – Either as primary data source or as a back-up
- Modem data
- Updates
- 24/7 Support (7.00 – 22.00 GMT+1)
- GolfMore Community


#	ART. NR.	PRODUCT INFO
1	GolfMore Setup	Onboarding/Setup for the site + first unit
-	GolfMore Sub	Monthly subscription of the GolfMore Payment system
1	Additional Unit	Add extra units for the site at decreased cost
-	Additional Sub	Additional subscription within the same site

#	ART. NR.	PRODUCT INFO
-	Air Fiber – Hardware	2 Radio links for fast Internet connection, requires clear sight to the Range
-	Additional Scanner	Use or reuse Solo-card/Mifare Classic or Mifare Ultralight cards
-	SMS-Package	Sending codes by SMS, a package of 1,000 SMS
2	108048	Mifare card White (only sold in 50-pack)
-	OBM0800	Circuit board for RS machines (required for 4 baskets sizes)



How to use the app

1. Login with your GOLF-ID
2. Fill up your Wallet
3. Dispense Balls
4. Enjoy!



RANGE SERVANT

PAYMENT SYSTEMS

SOLO 1 & 2

Solo is an intuitive software solution that increases range sales and controls. Easy to view reports give the range owner a grasp on trends while Employee Sales and Revalue Reports keep employees organized and accountable.


- Simply hold card up to the reader
- No contacts to wear out and replace
- Components are sealed against weather
- Wireless
- Solo 1 & 2 systems are both stand alone system.

Solo 1

- Load buckets instead of cash on card
- Easy to use
- Simple setup

Solo 2

- Load cash value on card
- 3 bucket sizes
- Cancel lost cards
- Employee Sales and revalue reports
- Download dispenser data
- Set happy hour pricing
- Set an expiry date for each individual account



#	ART. NR.	PRODUCT INFO	INCLUDED IN THE PACKAGE
1	SOL0000	Solo-1 Card system on NEW dispenser	Door, Solo-1 Card system, 1 bucket size
1	SOL00001	Solo-1 Replacement kit for ball dispenser	Door, Solo-1 Card system, 1 bucket size
1	SOL0003	Solo-1 Reader excl. Door	Solo-1 Card system, 1 bucket size
2	SOL0010_2	Solo-2 Card system on NEW dispenser	Door, Solo-2 Card system, 3 bucket size
2	SOL0040	Solo-2 Replacement kit	Door, Solo-2 Card system, 3 bucket size
2	SOL0010_1	Solo-2 Reader excl. Door	Solo-2 Card system, 3 bucket size
3	108044	Solo-Card Mifare (only sold in 50-pack)	(delivered with Solo print on one side)

For printing on the cards please contact us and we'll send a quotation

TOKENS & COINS

Range Servant is the only range company that makes its own tokens. This means you will never get a token from an arcade, laundromat, or a nearby competitor.

All Range Servant machines are sold with a token Acceptor. We believe that having a system that doesn't rely on a constant Internet connection is a great backup and will help keep up the operation. All customers are free to choose which tokens they want for their club, good thing is that we also keep track for you so you don't have to worry.

- Sell one token for a large, not three
- Dispense ANY ball count for ALL tokens
- Buy fewer tokens
- Curb large bucket sharing and hoarding



#	ART. NR.	PRODUCT INFO	INCLUDED IN THE PACKAGE
1	107702	Mechanical coin acceptor 1 €	
1	107703	Mechanical coin acceptor 1 & 2 €	(package of 500)
1	107704	Mechanical coin acceptor 2 €	(package of 500)
2	108600	Token acceptor	(package of 500)
3	108740	Token RS-A	(package of 500)
3	108750	Token RS-B	(package of 500)
3	108760	Token RS-C	(package of 500)
3	108790	Token RS-D	(package of 500)
3	108800	Token RS-E	(package of 500)
3	108810	Token RS-F	(package of 500)
3	108820	Token RS-G	(package of 500)
3	108830	Token RS-H	(package of 500)
3	108700	Token RS-I	(package of 500)
3	108710	Token RS-II	(package of 500)
3	108720	Token RS-III	(package of 500)
3	108730	Token RS-IV	(package of 500)
3	OKM0002	Token RS-V	(package of 500)
3	OKM0001	Token RS-VI	(package of 500)

Above nickel-plated tokens available also in brass.

PREMIUM LIGHTING DESIGNLIGHT

OPEN DAY & NIGHT

Our modular floodlights illuminate the entire ball path, giving the golfer an accurate feedback on their swing, compared to losing sight of the ball in the dark. The robust construction and high brightness enable optimum light scattering and good stability for every illumination requirement. Our lighting solutions are based on your needs, always taking the environment into consideration.

Here are some of the advantages:

- Increased opening hours and occupancy
- Reduced number of lamps required for optimal illumination
- Swedish design
- 7-year warranty
- Light spreads evenly throughout the entire driving range.
- Highest impact resistance IK10, protected against 20 joules on impact (vandal-proof).



References in Sweden

World of Golf – Halmstad GK – Landskrona GK – Ringenäs GK – Alvesta GK – Nässjö GK
Ängelholms GK – Åtvidabergs GK – Österåkers GK – Skistar Sweden – Göteborg Landvetter Airport

#	ART. NR.	PRODUCT INFO
1	1000892	Modular Floodlight 300W
2	1000893	Modular Floodlight 450W
-	1001071	Lens 25° DB-790 to modular headlights 105-115 lm / w
3	1000895	In-bay lighting, LED 230V – 25m
4	1000896	Cable for In-bay lighting, LED 230V – 3m

RANGE SERVANT INSTALLATION

GET IT RIGHT

When you invest in our products, our technicians and support team will assist in getting you started. No matter how large or small the project, we want to make sure you're comfortable using our equipment.

Our team is amongst the most knowledgeable in the golf-business, so don't hesitate to contact us at:

sales@rangeservant.com



RSconnect
powered by RANGE SERVANT

SIMPLY A SMARTER DRIVING RANGE

CAREFREE RANGE

We are passionate about helping the Range Operator deliver a great experience. RSconnect will notify you when problems arise, reducing downtime, helping you focus on the golfer and their enjoyment of the game.

RANGE INTELLIGENCE

Improve your Range Intelligence with our RSconnect Smart Digital Platform. With a Dashboard, showing important KPIs, such as balls dispensed, payment channels and service history, you will have the latest statistics to make smart decisions.

RSconnect comes loaded with features that will give the range owner great business insights. RSconnect will send regular program updates that meet the customer's needs and allow for the operation of a Carefree Range.



Statistics



API
Integration



Ball-level
Indicator



Smart
Insights



System
Health

RANGE SERVANT

ACCESSORIES



Plastic Basket

- Plastic Material
- Classic
- Lightweight
- Durable
- Sturdy handle



Steel Basket

- Steel Material
- Rugged
- Extra durable
- Stackable
- Sturdy handle



Deluxe Basket

- Hard Plastic Material
- Rugged
- Extra durable
- Stackable
- Sturdy handle



#	ART. NR.	PRODUCT INFO	ALT. INFO	NO. BALLS
1	109940	Plastic basket	Sold by boxes of 25	40-50 balls
2	109960	Plastic basket	Sold by boxes of 25	65-75 balls
3	109970	Plastic basket	Sold by boxes of 25	85-100 balls
4	109980	Plastic basket	Sold by boxes of 25	140-150 balls
5	109945	Plastic basket DeLuxe Small	Sold by pieces	30-45 balls
6	109946	Plastic basket DeLuxe Medium	Sold by pieces	60-70 balls
7	109947	Plastic basket DeLuxe Large	Sold by pieces	90-100 balls
8	109900	Steel basket	Sold by boxes of 10	45-50 balls
9	109910	Steel basket	Sold by boxes of 10	70-85 balls
10	109950	Basket stand	For round baskets	

HIGHEST QUALITY

Customers around the world recognize our quality, which is why we have chosen to continue producing the highest quality accessories on the market.

Product longevity is our trademark.

Greentec Smartline

- Flexible and comfortable
- Nylon pile heat bonded with PU glue for extra strong adhesion
- 15mm NBR foam base for great shock absorption
- Extremely durable
- 5 year Non-curl guarantee
- Playing mat size: 1,500 x 1,500 mm
- Comes with 8 tee holes




#	ART. NR.	PRODUCT INFO	MEASUREMENTS
1	RAM0010	Ball Tray RS Tee 960/970, rubber	L675 x W340 x H100 mm
2	610792	Range Mat – Greentec Smartline slits + Holes	1,500 x 1,500 mm
-	610779	Range Mat –Teaching with holes	1,500 x 1,500 mm

RANGE SERVANT

ACCESSORIES




#	ART. NR.	PRODUCT INFO
1	1000862	Tee holder, 30 mm
2	610810	Rubber Tee, 45 mm
3	610820	Rubber Tee, 55 mm
4	610800	Rubber Tee, 65 mm
5	Z00001	Rental Trolley, incl 3 wheels, basket and brake
6	Z00011	Umbrella holder (39 mm inner diameter)
7	OTA0169	Steel target, bulls eye
8	OTA0164	Tee Target Net 48" diameter, incl. yellow pads
9	OTA0165	Yellow Pads for Tee Target Net – pack of 6 pads



#	ART. NR.	PRODUCT INFO	CONTAINS
1	OTA0096	Vertical Banner steel frame	ONLY Frame
2	OTA0091	Vertical Banner RS 50	ONLY Cover
2	OTA0093	Vertical Banner RS 100	ONLY Cover
2	OTA0095	Vertical Banner RS 150	ONLY Cover
2	OTA0097	Vertical Banner RS 200	ONLY Cover
2	OTA0099	Vertical Banner RS 250	ONLY Cover
3	OTA0101	Horizontal Banner Frame Aluminium	ONLY Frame
4	OTA0129	Horizontal Range Banner RS 50	ONLY Cover
4	OTA0130	Horizontal Range Banner RS 100	ONLY Cover
4	OTA0131	Horizontal Range Banner RS 150	ONLY Cover
4	OTA0132	Horizontal Range Banner RS 200	ONLY Cover
4	OTA0133	Horizontal Range Banner RS 250	ONLY Cover
5	OTA0128	Horizontal Range Banner Bulls Eye RS	ONLY Cover
6	OTA0134	Horizontal Range Banner RS Customized	ONLY Cover
4	OTA0121	Horizontal Range Banner RS 50	Complete
4	OTA0122	Horizontal Range Banner RS 100	Complete
4	OTA0123	Horizontal Range Banner RS 150	Complete
4	OTA0124	Horizontal Range Banner RS 200	Complete
4	OTA0125	Horizontal Range Banner RS 250	Complete
5	OTA0127	Horizontal Range Banner Bulls Eye RS	Complete
6	OTA0126	Horizontal Range Banner RS Customized	Complete

COMMON SPARE PARTS



Pickers

MULTIFLEX

- Highly resilient soft plastic
- Flexible and durable
- UV-protected, WARP free in all weather

RUBBER

- Most durable Range Servant disc
- Heaviest and longest lasting
- Best for ranges with solid foundation

PLASTIC


- Hard plastic
- Suitable for artificial grass, sandy or dry conditions



#	ART. NR.	ALT. PRODUCT/INFO	MATERIAL	FITS TO FRAME
1	PDM0094	Pick-up roller	Multiflex	HD after 2012 + all Light
1	PBM0002	Pick-up roller	Multiflex	HD before 2012 + PBA000 (1-4)
2	302000	Pick-up roller, complete	Rubber	300000 + 300010
3	PDM0093	Pick-up roller	Plastic	All Light + hand pickers
4	OFM0012	Ball basket for picker	Plastic	HD + Light
5	300400	Ball basket for picker	Steel	HD + Light
6	305100	Push rod with extension tube	Steel	All HD + Light 5-6
7	970009	Sliding bar with extension tube	Steel	Light 2-4
8	330030	Extension MIDI to MAXI Multiflex	Steel/Plastic/Multiflex	HD
8*	300041	Extension MIDI to MAXI Rubber	Steel/Plastic/Rubber	HD
9	PAM0000	Attachment for A-frame	Steel	HD + Light
10	PCM0007	Brush strip, complete kit		HD
11	303200	Wheel incl. wheel mount		HD
12	PDA0000	Swivel castor air complete		Light
13	PDA0006	Wheel and tyre with tube		Light
14	303220	Wheel and tyre with tube		HD



*Same construction but with rubber pick-up roller

Dispensers



#	ART. NR.	PRODUCT INFO	COMPATIBLE WITH
1	OBM0800	BA-16 assembly	RS, Utima
2	101900	Lock with 2 keys	RS, Utima
3	930218	Photocell Ultima grid	Ultima
4	DJA0006	Cog belt 32T10/1000-V	Ultima after 2000

Washers



#	ART. NR.	PRODUCT INFO	COMPATIBLE WITH
1	105300	Water valve 230 V	BT1300, BT1950
2	WGM0040	Brush, complete	BT1300
2	221100	Brush, complete	BT1950
3	WAM0002	Extra Agitator	BT1300, BT1950
4	WGM0015	Rubber base plate	BT1300
4	220650	Rubber base plate	BT1950

Elevators



#	ART. NR.	PRODUCT INFO	COMPATIBLE WITH
1	EGA0000	Elevator strap 2860x300 belt clip	Elevator 1.4m
1	410650	Elevator strap 3500x300 belt clip	Elevator 1.8m
1	EHA0000	Elevator strap 4210x300 belt clip	Elevator 2.1m
1	420650	Elevator strap 4500x300 belt clip	Elevator 2.3m

GENERAL TERMS AND **WARRANTY**

PURCHASE AND SALE

A binding Agreement for the sale and delivery of the Deliverables shall only be considered entered into when Range Servant has confirmed an order in writing or when Range Servant has performed the delivery of the Deliverables.

The Customer may not, without prior written approval from Range Servant, cancel an order after it has been approved by Range Servant. Should such approval be granted, the Customer shall reimburse Range Servant for all possible costs and expenses that Range Servant is caused by the cancellation.

DELIVERY

Range Servant shall make delivery of the Deliverables to the destination stated in the Agreement. Unless otherwise agreed in writing, the delivery of products is made Ex Works (determined in accordance with the INCOTERMS in force at the date of the Agreement).

All dates stated for delivery shall be considered estimates and Range Servant shall not be liable for any losses or damages suffered by the Customer due to any delay in delivery of the Deliverables, regardless of cause. Range Servant shall however immediately notify the Customer in the event that Range Servant can reasonably anticipate that the delivery will not take place on the stated delivery date.

PRICES AND PAYMENT

All prices payable for the Deliverables shall be as stated in the Agreement. Unless otherwise agreed in writing prices are exclusive of VAT and other applicable taxes and duties.

If Range Servant's costs for the Deliverables have changed on or after the delivery date compared with the time of the Agreement's conclusion as a result of changed prices on third party components of the Deliverables, customs duties or other levies outside the control of Range Servant, Range Servant has the right to adjust the price of the Deliverables accordingly.

Unless otherwise is agreed in writing, payment shall be made within thirty (30) days of the date of the invoice.

Ownership to the Deliverables will transfer to the Customer upon full payment.

In the event of late payment, Range Servant is entitled to default interest according to applicable law on any unpaid amount from the due date until full payment is made.

WARRANTY

Range Servant warrants that all Deliverables conform with all agreed terms and specifications and comply with all mandatory legal requirements. Supplier furthermore warrants that the Deliverables are free from defects in design, materials and workmanship. Supplier also warrants that services performed as part of the Deliverables will be carried out with all reasonable care and skill, and be of sound workmanship.

The warranties of Range Servant (as stated above) shall be in force until twelve (12) months from the date of delivery to ultimate Customer, however never longer than 24 months from shipment from Range Servant.

Any Deliverables deviating from the warranties set out in the Agreement, any agreed specifications or these Terms are deemed "Defect".

The Customer shall inspect the Deliverables upon delivery and notify Range Servant in writing of Defects in the Deliverables as soon as possible thereafter.

In case of Defects in the Deliverables during the warranty period, Range Servant shall, at its own choice and expense remedy the Defect by either repair, redelivery, or reduction of the purchase price with an amount reasonable given the severity of the Defect. These remedies are the exclusive remedies available for the Customer in case of Defects.

Range Servant's liability does not extend to (i) Defects caused by Customer's use of any Deliverables with equipment, accessories, or software other than approved by Range Servant, (ii) Defects resulting from alterations or interference with the Deliverables by the Customer without Range Servant's consent, (iii) Defects resulting from viruses or other external assaults insofar as such were not introduced through Range Servant's negligence, or (iv) Defects caused by a third party in any other manner or through circumstances beyond Range Servant's control such as faults in equipment, accessories or software which is not included in the Deliverables.

The Customer loses his right to demand action from Range Servant due to the Defect if the Customer does not notify Range Servant as soon as possible after the Defect has been, or should have been, discovered.


To the extent the Deliverables consist of third-party products (hardware and/or software), the warranty provisions regarding such third-party products shall take precedence over the warranty terms set out in these Terms and apply to such part of the Deliverables.

RANGE SERVANT NETWORK

Distribution Network

We have a large distribution network throughout the world, and our distributors are always happy to help you build an effective operation.

Please visit www.rangeservant.com/worldwide to find your local distributor.



Reference Customers



Distributed by:

CONTACT US

Range Servant AB
Skallebackavägen 11
302 41 Halmstad - Sweden

Phone: +46 (0)35 10 92 40

sales@rangeservant.com
www.rangeservant.com



@rangeservant